

**NeverStrip**  
FLOOR COATINGS

# NeverStrip Concrete Stain (Water Based)



# NeverStrip Concrete Stain (WaterBased)

NeverStrip Concrete Stain (WaterBased) is based on an advanced micro technology. These stains are easy to use, penetrating, quick drying, non-acidic, low to no odor . These stains provide vibrant to earth based color choices. These water based stains offer an attractive and desired mottled appearance. They are available in 18 different stain colors, which can be used alone or combined to create literally hundreds of appearances.

NeverStrip Concrete Stain (WaterBased) can provide years and years of like new appearance in demanding commercial environments by being protected with NeverStrip's clear, high-performing coatings and primers, including: High Solids Urethane (Gloss or Satin), Extreme Performance, Off-Gassing Primer, Gloss, Satin, Matte water-based urethane coatings, and NeverStrip's Micron based Stone, Terrazzo and Concrete Seal.

## Characteristics

- Micronized Pigment Technology
- Deep Penetration
- Strong Bond
- Reliable, Consistent Color
- UV Stable

## Surface Preparation

Prepare surface to accept NeverStrip Concrete Stain (WaterBased). For best penetration, it is recommended to expose the concrete surface prior to application of stain. Remove any topical coatings, sealers, soil, grease, or oil stains. Concrete must be profiled at 120 to 200 grit.

## Application

- 1** It is recommended to use paper or plastic to protect walls, molding, appliances and any other surfaces near the spray area. NeverStrip Concrete Stain can permanently stain some surfaces.
- 2** Shake NeverStrip Concrete Stain prior to pouring into sprayer. Spray NeverStrip Concrete Stain on a piece of cardboard or wood to ensure color and spray pattern.
- 3** Apply stain with a fine tip sprayer in a random circular pattern to avoid lines or visible patterns. Be careful of any drips from sprayer tip – lightly blot with a damp rag immediately. Keep sprayer tip in an empty bucket when not in use.

**Spraying 2 fine layers is better than 1 heavy layer.**

- 4** If applying a second color, allow first application to dry thoroughly enough that stain will not come off on a cloth or feel tacky to the touch (usually 1 hour or less). Apply lighter colors first, then accent with darker tones.
- 5** NeverStrip Concrete Stain may also be brushed for applying in tight areas or decorative techniques.
- 6** Once final stain is down, allow to dry before applying a final clear, high performance NeverStrip topcoat.
- 7** Clean sprayer and sprayer tip after use to ensure no clogging occurs. Wash any application tools or brushes with soap and water.
- 8** Use proper ventilation and protective gear when applying. Avoid inhaling mist.

## Coverage

150-400 sq ft depending on porosity of concrete.

# NeverStrip Concrete Stain (WaterBased)

**MAY IRRITATE EYES, SKIN AND RESPIRATORY TRACT.  
DO NOT TAKE INTERNALLY.  
DO NOT BREATHE IN SPRAY MIST.  
READ AND FOLLOW SAFETY DATA SHEET.**

**NEVERSTRIP STAIN AND NEVERSTRIP TOPCOAT PRODUCTS ARE FOR PROFESSIONAL USE ONLY BY NEVERSTRIP CERTIFIED APPLICATORS/DEALERS.**

**READ AND FOLLOW ALL GUIDELINES.**

## NeverStrip Topcoats

NeverStrip has multiple clear, non-yellowing topcoats to be used with its concrete stains.

### These topcoats include:

NeverStrip High Solids Urethane in Gloss or Satin  
NeverStrip Gloss, Satin or Matte (WaterBased Urethane)  
NeverStrip Extreme Performance  
NeverStrip Stone, Terrazzo and Concrete Seal

## Cleaning and Maintenance

See Cleaning and Maintenance Guidelines at [www.NeverStrip.com](http://www.NeverStrip.com)

## For Industrial Use Only

Not for sale to or resale to the general public.  
For professional use only by a Certified NeverStrip Technician.



**Customer Service:** 708.588.9707  
[www.neverstrip.com](http://www.neverstrip.com)

**For Hazardous Materials (or Dangerous Goods) Incident:**  
Spill, Leak, Fire, Exposure, or Accident  
**Call CHEMTREC, Day or Night USA and Canada**  
800.424.9300